

Cómo verificar direcciones de correo electrónico utilizando el API de Verificaremails

1

Para utilizar los servicios de verificación de emails, navega hasta: <https://dashboard.verificaremails.com/app/dashboard>

2

Selecciona "Verificar emails" a través del banner superior.



3 Para verificaciones individuales utiliza la opción "Petición Rápida".

Documentación

Contacto

84212 créditos disponibles

¿Comprar más créditos?

AP [Volver](#)

EMAIL


info@sisostudio.com

antxon.pous@gmail.com

halcon084@halcon-viajes.es

antxon.pous@gmail.com

antxon.pous@gmail.com

Arrastra tu fichero o 

Formatos: CSV, X

4 Introduce una dirección de correo, por ejemplo: : "antxon.pous **AltGraph** @verificaremails.com"

5 Haz click para verificar.

EMAIL	PETICIÓN
info@sisostudio.com	Completado
antxon.pous@gmail.com	Completado
halcon084@halcon-viajes.es	Completado
antxon.pous@gmail.com	Completado
antxon.pous@gmail.com	Completado

6 Puedes ver en tiempo real el resultado de la verificación.

Verificar teléfonos - HLR Verificar nombres Verificar direcciones

ok_for_all

7

Todas las peticiones rápidas son almacenadas en la tabla para su posterior revisión.

ÚLTIMOS RESULTADOS Exportar i

EMAIL	PETICIÓN	RESULTADO	FECHA	VER
antxon.pous@verificaremails.com	Completado	No concluy	Muestra el resultado de la verificación	
info@sisostudio.com	Completado	Ok	11-06-2024 12:45:22	
antxon.pous@gmail.com	Completado	Ok	11-06-2024 10:03:05	
halcon084@halcon-viajes.es	Completado	Ok	06-06-2024 09:40:03	
			22-05-2024	

8

Todas las validaciones vienen con un fichero JSON con el detalle sobre la verificación.

lo es: antxon.pous@verificaremails.com


ok_for_all

DESCARGAR RESULTADOS


antxon.pous@gmail.com	Completado	Ok
halcon084@halcon-viajes.es	Completado	Ok
antxon.pous@gmail.com	Completado	Ok

Email

9 Para cerrar el pop up selecciona el aspa.



10 Para automatizar la validación de emails selecciona la opción "APIs"



11 Haz click "+ Crear nueva API"

Exportar Documentación + Crear nueva API

VÁLIDO	INVÁLIDO	DESCONOCIDO	ERROR	ESTADO	DETALLES
10	23	2	0	<input checked="" type="checkbox"/>	

Anterior 1 Siguiente

test Widget Ultimo año

12 Introduce un "Nombre" para identificar al API.

CREAR API NUEVA

Nombre *


Límite de peticiones totales

Límite de peticiones por minuto


Límite de filas por fichero

13 En mi caso utilizaré "test_api_emails"

14 Selecciona "Guardar"



15 Selecciona "test Widget" para ver las estadísticas de una determinada API.



Dashboard header showing statistics and navigation. The top row contains four colored boxes with values: 10 (green), 23 (orange), 2 (grey), and 0 (red). To the right are a toggle switch and two icons (eye and gear). The second row contains four colored boxes with values: 0 (green), 0 (orange), 0 (grey), and 0 (red). To the right are another toggle switch and two icons (eye and gear). Below the statistics is a navigation bar with 'Anterior', a blue box with '1', and 'Siguiete'.





Chart area showing a partial orange bell curve. A dropdown menu is open, showing 'test Widget' selected with a checkmark, and 'test_api_emails' as an option. The menu is highlighted with an orange circle. To the right of the dropdown is another dropdown labeled 'Ultimo año'.

16 Click "test_api_emails"



Dashboard header showing navigation. It contains 'Anterior', a blue box with '1', and 'Siguiete'.




Chart area showing a full orange bell curve, a green bell curve, and a grey bell curve. A dropdown menu is open, showing 'test Widget' selected with a checkmark, and 'test_api_emails' as an option. The menu is highlighted with an orange circle. To the right of the dropdown is another dropdown labeled 'Ultimo año'.

17

Podemos ver los resultados numéricos de las peticiones en la tabla superior. Click en la rueda para personalizar el API.

The screenshot shows an API management dashboard. At the top, there are three buttons: 'Exportar' (with a download icon), 'Documentación', and '+ Crear nueva API'. Below this is a table with the following columns: 'VÁLIDO', 'INVÁLIDO', 'DESCONOCIDO', 'ERROR', 'ESTADO', and 'DETALLES'. The first row shows 10 valid, 23 invalid, 2 unknown, and 0 error requests, with the state toggle turned on. The second row shows 0 valid, 0 invalid, 0 unknown, and 0 error requests, with the state toggle also turned on. To the right of the table, a 'DETALLES' dropdown menu is open, showing 'Permite editar información de la API' and a gear icon. Below the table, there are navigation buttons for 'Anterior', '1', and 'Siguiente'. At the bottom, there are two dropdown menus: 'test_api_emails' and 'Ultimo año'.

VÁLIDO	INVÁLIDO	DESCONOCIDO	ERROR	ESTADO	DETALLES
10	23	2	0	<input checked="" type="checkbox"/>	Permite editar información de la API
0	0	0	0	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

18

Habilitando los selectores podemos limitar el número de peticiones totales al API, la speticiones por minuto...

The screenshot shows the 'EDITAR INFORMACIÓN DE LA API' settings page. It has a title bar at the top. Below the title bar, there are several fields and controls:

- Nombre ***: A text input field containing 'test_api_emails'.
- Token ***: A text input field containing '06b0b32cf0b5795725843ae6939c3ba9'.
- Límite de peticiones totales**: A toggle switch that is currently turned on (orange).
- Límite de peticiones por minuto**: A toggle switch that is currently turned off (grey).
- Límite de filas por fichero**: A toggle switch that is currently turned off (grey).
- Estado ***: A toggle switch that is currently turned on (blue).

19 Al desplegar un selector podemos definir un número máximo en el atributo.

EDITAR INFORMACIÓN DE LA API

Nombre * test_api_emails

Token * 06b0b32cf0b5795725843ae6939c3ba9

Límite de peticiones totales *i* Límite de peticiones totales

Límite de peticiones por minuto *i*

Límite de filas por fichero *i*

Estado *

20 Para poder utilizar el API debemos conocer el "Token".

PETICIONES VÁLIDO INVÁLIDO DESCONOCIDO ERROR ESTADO

MACIÓN DE LA API

test_api_emails

06b0b32cf0b5795725843ae6939c3ba9

nes totales *i*

nes por minuto *i*

or fichero *i*


Anterior

test_api_emails ▾

21 Botón derecho para seleccionar el valor del "Token".



22 Selecciona "Guardar"



23 Si queremos conocer las llamadas debemos desplegar la "Documentación"

The screenshot shows a dashboard with a table of API call statistics and a navigation bar. The table has columns for 'VÁLIDO', 'INVÁLIDO', 'DESCONOCIDO', 'ERROR', 'ESTADO', and 'DETALLES'. The 'Documentación' button is highlighted with an orange circle.


VÁLIDO	INVÁLIDO	DESCONOCIDO	ERROR	ESTADO	DETALLES
10	23	2	0	<input checked="" type="checkbox"/>	
0	0	0	0	<input checked="" type="checkbox"/>	

Anterior **1** Siguiente

test Widget ▾ Último año ▾

24 Nos abrirá una nueva ventana con la documentación detallada de cada una de las APIs.

25 Click "<https://www.verificaremails.com/docs/index.html>"



Swagger
Supported by SMARTBEAR

openai.json?v=6

Verificaremails API 1.0 OAS3

openai.json?v=6

In this section you will find the 4 API method you can use to verify your data. You can find detailed information about the API response

- Verificar Emails <https://www.verificaremails.com/docs/index.html>
- Verificar Teléfonos https://www.verificaremails.com/docs/index_telefonos.html
- Verificar Nombres https://www.verificaremails.com/docs/index_nombres.html
- Verificar direcciones https://www.verificaremails.com/docs/index_direcciones.html

Single request

GET /myapi/{apiName}/validate/single Validate single term

Batch request

26 Si queremos conocer las llamadas de la api de email seleccionamos "API Validación Emails"

27 En la parte inferior veremos el "Email Validation API"

Descargar y Exportar Resultados

Guía Resultados

Recarga de créditos

Utilizar Zapier para validar direcciones de email

Validar emails en formularios con nuestro Widget

Autenticación API

DEVELOPER API

Email Validation API >

API docs by Redocly

REGISTRARSE

Verificar Direcciones de Email

Una vez hayas creado tu cuenta gratuita, debes iniciar sesión para empezar a utilizarla el s *Verificar emails* @.

Si deseas verificar de forma individual, solo debes introducir la dirección de correo en el ca **Rápida**. Si lo que deseas es verificar un listado de correos, lo más rápido es que utilices la ficheros. Solo tienes que arrastrar el fichero a la caja naranja que encontrarás en la pantalla; seleccionar en que columna se encuentran los mails. La primera columna es la 1 y así sucesivamente.

Puedes subir ficheros en formato Excel, TXT y CSV. Lo importante es que la información es en columnas. Antes de verificar un fichero asegúrate que la información esté organizada en columnas. Por cada registro te descontaremos un crédito de tu cuenta independientemente del valor de cada registro.


28 Si volvemos a la ventana de "Swagger UI" veremos que podemos realizar las llamadas del API directamente desde el navegador.

29 Abrimos el desplegable de las llamadas individuales

formation about the API responses in the documentation section.



30 Seleccionamos "Try it out"



31 En el desplegable seleccionamos "email"

GET /myapi/{apiName}/validate/single Validate single term

Parameters

Name	Description
apiName * required string (path)	API code <input type="text" value="name"/>
auth-token * required string (query)	API auth token <input type="text" value="auth-token"/>
term * required string (query)	Term to validate name First or last name phone Number with international prefix. Ex: 34934511100

32 Introducimos el "auth-token" que acabamos de crear en nuestra API.

Name	Description
apiName * required string (path)	API code <input type="text" value="email"/>
auth-token * required string (query)	API auth token <input type="text" value="auth-token"/>
term * required string (query)	Term to validate name First or last name phone Number with international prefix. Ex: 34934511100 email E-mail address Address phonemnn Number with international prefix. Ex: 34934511100

33 Hacemos **ctrl + v**

34 Hacemos click en "Term to validate" vemos que en función del API disponemos de varias opciones:

name First or last name

phone Number with international prefix. Ex: 34934511100

email E-mail

address Address

phonemnp Numb..."

>

token

!2cf0b5795725843ae6939c3ba9

/validate

rst or last name

lumber with international prefix. Ex: 34934511100

mail

Address

np Number with international prefix. Ex: 34934511100

arch JSON object

rst or last name



35

Click "Term to validate"

name First or last name

phone Number with international prefix. Ex: 34934511100

email E-mail

address Address

phonemnp Numb..."

auth-token * required
string
(query)

API auth token

06b0b32cf0b5795725843ae6939c3ba9

term * required
string
(query)

Term to validate

name First or last name

phone Number with international prefix. Ex: 34934511100

email E-mail

address Address

phonemnp Number with international prefix. Ex: 34934511100

fuzzysearch JSON object

name: First or last name

use_first_names: Use first names (0,1)

gender (optional): ("M","F")

country (optional): Alpha-2 code of the country

Ex: {"name":"Name","use_first_names":1,"gender":"M","country":"ES"}

namecomplete JSON object

36

En nuestro caso al utilizar el API de email en "term" introduciremos una dirección de correo electrónico.

country (optional): Alpha-2 code of the country
Ex: {"name":"Name","use_first_names":1,"gender":"M","country":"ES"}

namecomplete JSON object
name: First or last name
use_first_names: Use first names (0,1)
gender (optional): ("M","F")
country (optional): Alpha-2 code of the country
Ex: {"name":"Name","use_first_names":1,"gender":"M","country":"ES"}

phonesyntactic Number with international prefix. Ex: 34934511100

Execute

Responses

Code	Description
------	-------------

37

Introducimos "antxon.pous@gmail.com"

38 Click "Execute"

or last name
mes: Use first names (0,1)
onal): ("M","F")
onal): Alpha-2 code of the country
"Name","use_first_names":1,"gender":"M","country":"ES")

ctic Number with international prefix. Ex: 34934511100

s@gmail.com

Execute

39 Podemos ver que la API nos devuelve un "200" indicando que la petición ha sido satisfactoria.

```
cf-ray: 8962405f6d8d041e-MAD
content-encoding: br
content-type: application/json
date: Wed, 19 Jun 2024 08:46:57 GMT
nel: {"success_fraction":0,"report_to":"cf-nel","max_age":604800}
report-to: [{"endpoints":[{"url":"https://a.nel.cloudflare.com/report/v4?s=01MkyDxJcp035fk1CkgTrphtIFItLgNJRiRxijai6fY51BjaKEgXwPYarBbIY3%2BzXz0XKcNJIwFA8zgRCMQ01hbt0bbH8MUDX4JkZnel","max_age":604800}]}]
server: cloudflare
vary: Accept-Encoding
```

Responses

Code	Description
------	-------------

200	Success result
-----	----------------

Media type

application/json

Controls Accept header.

Example Value | Schema

```
{
  "id": "12345",
  "term": "Term",
  "request_id": "1234",
  "result_code": "1",
```

40

La misma petición la podemos hacer desde la ventana de documentación del "API Validación Emails"

41

Click "Python" y veremos el código específico para realizar la llamada en Python

sses and can accept an email list through file

ng:

passed all verification tests

failed one or more tests

not be accurately tested

in the request or it contains a syntax error

request or it was invalid

to complete this attempt

TRY

GET

/email/validate/single



Request samples

PHP

Python

Ruby

C#

Copy

```
$curl = curl_init();

curl_setopt_array($curl, array(
  CURLOPT_URL => 'https://dashboard.verificaremai
  CURLOPT_RETURNTRANSFER => true,
  CURLOPT_ENCODING => '',
  CURLOPT_MAXREDIRS => 10,
  CURLOPT_TIMEOUT => 0,
```

42 Click "Ruby" para ver el ejemplo de ruby

sses and can accept an email list through file

ng:

passed all verification tests


failed one or more tests

not be accurately tested

in the request or it contains a syntax error

request or it was invalid

to complete this attempt



```
import requests

url = "https://dashboard.verificaremails.com/mya

payload = {}
headers = {}

response = requests.request("GET", url, headers=i
```

43 Click "C#"

sses and can accept an email list through file

ng:

passed all verification tests


failed one or more tests

not be accurately tested

in the request or it contains a syntax error

request or it was invalid

to complete this attempt



```
require "uri"
require "net/http"

url = URI("https://dashboard.verificaremails.com/

https = Net::HTTP.new(url.host, url.port)
https.use_ssl = true
```

44 Para probar la llamada desde el navegador seleccionar "TRY"

email verification process with your service.
esses and can accept an email list through file

tring:

passed all verification tests
failed one or more tests
not be accurately tested

The screenshot shows an API client interface for the endpoint `/email/validate/single`. The `TRY` button is highlighted with an orange circle. Below the endpoint, there are tabs for different languages: `PHP`, `Python`, `Ruby`, and `C#`. Under the `C#` tab, there is a code editor with the following code snippet:

```
var client = new HttpClient();  
var request = new HttpRequestMessage( HttpMethod.Get, "/email/validate/single" );  
var response = await client.SendAsync( request );
```

45 Doble click en "auth-token" para introducir las credenciales.

ng:

passed all verification tests
failed one or more tests
not be accurately tested
in the request or it contains a syntax error
request or it was invalid
ng to complete this attempt
ing reasons:

The screenshot shows the same API client interface as in the previous image, but with the `auth-token` field highlighted by an orange circle. The field is a text input containing the value `auth-token`. The field is labeled `auth-token * required` and has a description of `API auth token`. Below it, there is another field labeled `term * required` with a description of `Email address to test.` and a value of `term`. At the bottom of the interface, there is a blue `Execute` button.

46 Click en el campo "term" para introducir el email a validar.

The screenshot shows a REST client interface for a GET request to the endpoint `/email/validate/single`. The interface includes a table of parameters:

Name	Description
auth-token * required string (query)	API auth token <input type="text" value="06b0b32cf0b5795725843ae6939c"/>
term * required string (query)	Email address to test. <input type="text" value="term"/>

An orange circle highlights the `term` input field. Below the parameters is an `Execute` button. At the bottom, there are tabs for `Request samples` in PHP, Python, Ruby, and C#.

On the left side of the interface, there are several text boxes and labels, including "ng:", "passed all verification tests", "failed one or more tests", "not be accurately tested", "in the request or it contains a syntax error", "request or it was invalid", "ng to complete this attempt", and "ing reasons:". These appear to be parts of a response or error message.

47 Introduce cualquier dirección de correo, por ejemplo: "antxon.pous **AltGraph** @gmail.com"

48 Click "Execute"

passed all verification tests

failed one or more tests

not be accurately tested

in the request or it contains a syntax error

request or it was invalid

ing to complete this attempt

ing reasons:

auth-token * required API auth token

string (query) 06b0b32cf0b5795725843ae6939c

term * required Email address to test.

string (query) antxon.pous@gmail.com

Execute

Request samples

PHP Python Ruby C#

Copy

```
var client = new HttpClient();
```

49 En la sección "Verificaremails ®" veremos que disponemos de 2 opciones adicionales para utilizar el API. Podemos utilizar Zapier o la documentación de Postman.

verificardirecciones Documentación

Guía Verificación Ficheros API Desarrolladores

Search...

Verificaremails ®

Empezar

Nuestra Garantía

Como funciona Verificar Emails ®

Verificar Ficheros

Descargar y Exportar Resultados

Guía Resultados

Response	Description
ok	The supplied email address has passed all verification tests
fail	The supplied email address has failed one or more tests
unknown	The supplied email address can not be accurately tested
incorrect	No email address was provided in the request or it contains a sy
key_not_valid	No api key was provided in the request or it was invalid
missing parameters	There are no validations remaining to complete this attempt

When the response is `fail` it can be for one of the following reasons:

Reason
The address provided does not exist
The mailbox is full

50 Click "la integración con Zapier"

Verifica un único correo o largas lista de contactos. Nuestra API y aplicación Web puede verificar miles de contactos en una única llamada!

Fácil Integración

Hablamos tu lenguaje de programación. Las llamadas a nuestra API están disponibles para PHP, Python, Node.js, y .net. Puedes utilizar **la integración con Zapier** para automatizar las validaciones de emails sin necesidad de programar. Si lo prefieres puedes utilizar **Postman con ejemplos de código** para la mayoría de los lenguajes de programación.


Empezar

En los siguientes puntos descubre como utilizar Validar emails para verificar de forma sencilla, económica y eficiente direcciones de email, obtener informacion detallada de tus contactos y su confiabilidad.

51 Switch to tab "Como utilizar Zapier para verificar emails"

52 Switch to tab "Verificaremails APIs conectadas"

53 Click "Zapier"



The screenshot shows a dashboard with a sidebar menu on the left and a main content area on the right. The sidebar menu includes: Dashboard, APIs (highlighted), WidgetJS, Zapier (highlighted with an orange circle), Validación, Comprar, Documentación, and Contacto. The main content area displays a table of API statistics:

NOMBRE ^	PETICIONES	VÁLIDO	INVÁLIDO
test Widget	35	10	23
test_api_emails	0	0	0

Below the table, there is a pagination control showing "10" and "Mostrando del 1 al 2 de 2". Below this, there is a section titled "RESULTADOS DE PETICIONES" with a list of results, including the number "24".

54 Switch to tab "API Validación Emails"

55 Click "Postman con ejemplos de código"

Envía un único correo o largas lista de contactos. Nuestra API y aplicación web puede verificar miles de contactos en una única llamada!

Facil Integración


Elige tu lenguaje de programación. Las llamadas a nuestra API están disponibles para PHP, Python, JavaScript, y .NET. Puedes utilizar [la integración con Zapier](#) para automatizar las validaciones de emails sin necesidad de programar. Si lo prefieres puedes utilizar [Postman con ejemplos de código](#) para la mayoría de lenguajes de programación.

Comenzar

En los siguientes puntos descubre como utilizar Validar emails para verificar de forma sencilla, económica y segura tus direcciones de email y obtener informes detallados de tus contactos y su entregabilidad

56 Switch to tab ""

57 Click here.



▶ Run in Postman

Written by: skeyon


Was this article helpful?



Visualizaciones: 22

Next: Como utilizar el widget para validar formularios >>

58 Click "View collection"




Written by: skeyon

Was this article helpful?




59 Switch to tab ""

60 Si seleccionas el API de verificar emails individuales, verás las mismas llamadas.




61 Click "Validate_single_email"




The screenshot shows the Postman interface for the 'Verificaremails - Postman API...'. The left sidebar shows a collection named 'Servicios Verificaremails API' with a sub-collection 'emails'. The 'GET Validate_single_email' endpoint is highlighted with an orange circle. The main panel shows the 'Overview' tab for this endpoint, with the title 'Servicios Verificaremails' and a description: 'En esta sección encontrarás el método de 4 API c respecto a: correo electrónico, teléfono, dirección. Puede encontrar información detallada sobre las documentación.' Below the description are four links: '- Verificar Emails <https://www.verificaremails.com>', '- Verificar Teléfonos <https://www.verificaremails.com>', '- Verificar Nombres <https://www.verificaremails.com>', and '- Verificar Direcciones Postas'.

62 Click here para desplegar los distintos ejemplos de código para la verificación individual de emails.




The screenshot shows the Postman interface for the 'validate_single_email' endpoint. The URL bar contains 'https://www.verificaremails.com/myapi/email/validate/single?term=antxon.pous@verificaremails.com'. The 'Send' button is highlighted with a blue box. The 'Code' tab is selected, and the code editor shows the endpoint name 'validate_single_email' and the URL. The 'View complete documentation' link is visible. The code editor also shows the URL and a partial description: 'description.'

63 Click this icon.



64 Click here.



65 Double-click "api_token"

ne&Gender
s

<https://dashboard.verificaremails.com/myapi/email/validate/single?term=antxon.pous@verificaremails.com>

This request doesn't have a description.

Authorization API Key

Key	auth-token
Value	{{api_token}}

Query Params

term	antxon.pous@verificaremails.com
------	---------------------------------

Code Snippet

cURL ▼ 📄

66 Click "api_token" para introducir tus credenciales mediante una variable de entorno.

<https://dashboard.verificaremails.com/myapi/email/validate/single?term=antxon.pous@verificaremails.com>

This request doesn't have a description.

Authorization API Key

Key	auth-token
Value	{{api_token}}

Query Params

term	antxon.pous@verificaremails.com
------	---------------------------------

Code Snippet

cURL ▼ 📄

67 Press **ctrl + v**

68 Click "Auth"

The screenshot shows the Postman interface for the 'Validate_single_email' endpoint. The left sidebar displays the API structure with 'GET Validate_single_email' selected. The main panel shows the endpoint details, including the URL and the 'Auth' tab highlighted with an orange circle. The 'Auth' tab is currently empty, indicating that no authentication details have been configured for this request.

Navigation: Pricing Enterprise Resources and Support Public API Network Search Postman

API: Servicios Verificaremails API / emails / Validate_single_email Save

Method: GET URL: https://dashboard.verificaremails.com/myapi/email/validate/single?term=a ...

Tabs: Overview Params **Auth** Headers Body Scripts Settings

Validate_single_email [View complete docume](#)

https://dashboard.verificaremails.com/myapi/email/validate/single?term=antxon.po@verificaremails.com

This request doesn't have a description.

Authorization API Key

69 Double-click here.

verificaremails API / emails / Validate_single_email

Save Share

https://dashboard.verificaremails.com/myapi/email/validate/single?term=a ... Send

ns Auth Headers Body Scripts Settings Cookies

Key	Value	Add to
auth-token	{{api_token}}	Query Params

header will be generated in request.
[API Key](#)

```
Code snippet
PHP - cURL
1 <?php
2
3 $curl = curl_init();
4
5 curl_setopt_array($curl,
6   CURLOPT_URL => 'https://
   verificaremails.com/
   validate/single?term=
   pous%40verificaremai
7   CURLOPT_RETURNTRANSFER
8   CURLOPT_ENCODING => ''
9   CURLOPT_MAXREDIRS => 10
10  CURLOPT_TIMEOUT => 0,
11  CURLOPT_FOLLOWLOCATION
12  CURLOPT_HTTP_VERSION =>
   CURL_HTTP_VERSION_1_1
13  CURLOPT_CUSTOMREQUEST =>
14  );
15
16 $response = curl_exec($curl);
```

70 Press **ctrl + v**

71 Click here.

The screenshot shows the Postman interface with the 'Auth' tab selected. The 'Type' is set to 'API Key'. The 'Key' field is empty, and the 'Value' field contains a long alphanumeric string. A tooltip message says 'No definition found. Search the web for "{{api_token}}" »'. The 'Add to' dropdown is set to 'Query Params'. On the right, a code editor shows a snippet of a curl command.

Overview Params **Auth** Headers Body Scripts Settings Cookies

Type: API Key

The authorization header will be automatically generated when you send the request. Learn more about [API Key](#) authorization.

Key: [Empty]

Value: 06b0b32cf0b5795725843ae6939...

Add to: Query Params

1 <?ph
2
3 \$curl
4
5 curl
6 CU
7 CU
8 CU
9 CU
10 CU
11 CU
12 CU
13 CU
14));
15
16 \$res
17
18 curl
19 echo
20

72 Click "Params"

The screenshot shows the Postman interface with the 'Params' tab selected. The 'Type' is set to 'API Key'. The 'Key' field is set to 'auth-token', and the 'Value' field contains the same alphanumeric string. The 'Add to' dropdown is set to 'Query Params'. The left sidebar shows a tree view of the API collection.

Product Pricing Enterprise Resources and Support Public API Network Search Post

ficaremails - Postman API... New Import GET Validate_single_email +

Servicios Verificaremails API / emails / Validate_single_email

GET https://dashboard.verificaremails.com/myapi/email/validate/single?term

Overview **Params** Auth Headers Body Scripts Settings

Type: API Key

The authorization header will be automatically generated when you send the request. Learn more about [API Key](#) authorization.

Key: auth-token

Value: 06b0b32cf0b...

Add to: Query Params

- Servicios Verificaremails API
 - emails
 - GET Validate_single_email
 - POST Validate_Batch_email
 - phone
 - postal address
 - Name&Surname&Gender
 - Check Credits

73 Switch to tab "Utilizar Postman para el API de Verificaremails - Verificaremails"

74 Switch to tab "API Validación Emails"

75 Click "Email Validation API"

Descargar y Exportar
Resultados

Guía Resultados

Recarga de créditos

Utilizar Zapier para validar
direcciones de email

Validar emails en
formularios con nuestro
Widget

Autenticación API

DEVELOPER API

Email Validation API >

API docs by Redocly

Node.js, y .net. Puedes utilizar [la integración con Zapier](#) para automatizar las validaciones necesidad de programar. Si lo prefieres puedes utilizar [Postman con ejemplos de código](#) p los lenguajes de programación.

Empezar

En los siguientes puntos descubre como utilizar Validar emails para verificar de forma sen y eficaz tus direcciones de email y obtener informes detallados de tus contactos y su entre

Crear una cuenta en Verificar Emails ®

Para utilizar el servicio de Verificar Emails deberás [crear una cuenta gratuita en Verificare](#)

REGÍSTRATE

76 Click "/email/validate/multiple"

direcciones de email

Validar emails en formularios con nuestro Widget

Autenticación API

DEVELOPER API

Email Validation API

- GET /email/validate/single
- POST /email/validate/multiple
- GET /email/credits
- GET /all/credits

API docs by Redocly

Response	Description
ok	The supplied email address has passed all verification tests
fail	The supplied email address has failed one or more tests
unknown	The supplied email address can not be accurately tested
incorrect	No email address was provided in the request or it contains a sy
key_not_valid	No api key was provided in the request or it was invalid
missing parameters	There are no validations remaining to complete this attempt

When the response is `fail` it can be for one of the following reasons:

Reason
The address provided does not exist
The mailbox is full
The address provided is a disposable email address
The address provided is not in a valid format

77 Click "/email/credits"

direcciones de email

Validar emails en formularios con nuestro Widget

Autenticación API

DEVELOPER API

Email Validation API

- GET /email/validate/single
- POST /email/validate/multiple
- GET /email/credits
- GET /all/credits

API docs by Redocly

key_not_valid	No api key was provided in the request or it was invalid.
missing parameters	There are no validations remaining to complete this attempt.

After receiving the `upload-id`, you can check the processing status and retrieve the finish the `/getApiFileInfo` endpoint.

AUTHORIZATIONS: > *APIKey*

QUERY PARAMETERS

auth-token *required* string
API auth token

REQUEST BODY SCHEMA: *required* multipart/form-data

file *required* string <binary>
The file to upload (xls, xlsx, cvs, or txt)

column string

78 Click "/all/credits"

direcciones de email

Validar emails en formularios con nuestro Widget

Autenticación API

DEVELOPER API

Email Validation API

GET /email/validate/single

POST /email/validate/multiple

GET /email/credits

GET /all/credits

API docs by Redocly

Success result

> 400

Your request is structured incorrectly.

> 401

You did not send an API key.

> 402

You don't have enough credits to complete this request.

> 403

Your API key is invalid.

> 404

The specified resource does not exist.

> 429

79 Click "/email/credits"

direcciones de email

Validar emails en formularios con nuestro Widget

Autenticación API

DEVELOPER API

Email Validation API

GET /email/validate/single

POST /email/validate/multiple

GET /email/credits

GET /all/credits

API docs by Redocly

Success result

> 400

Your request is structured incorrectly.

> 401

You did not send an API key.

> 402

You don't have enough credits to complete this request.

> 403

Your API key is invalid.

> 404

The specified resource does not exist.

> 429

80

Click "TRY"
GET
/email/credits"

API Desarrolladores

TRY

GET

/email/credits

Request samples

PHP

Python

Ruby

C#

Copy

```
$curl = curl_init();  
  
curl_setopt_array($curl, array(  
    CURLOPT_URL => 'https://dashboard.verificaremai  
    CURLOPT_RETURNTRANSFER => true,  
    CURLOPT_ENCODING => '',  
    CURLOPT_MAXREDIRS => 10,  
    CURLOPT_TIMEOUT => 0,  
    CURLOPT_FOLLOWLOCATION => true,
```

81

Click "TRY"

API Desarrolladores

TRY

GET

/email/credits

https://dashboard.verificaremails.com/myapi/email/credits

PHP

Python


Ruby

C#


Copy

```
$curl = curl_init();  
  
curl_setopt_array($curl, array(  
    CURLOPT_URL => 'https://dashboard.verificaremai  
    CURLOPT_RETURNTRANSFER => true,  
    CURLOPT_ENCODING => '',  
    CURLOPT_MAXREDIRS => 10,  
    CURLOPT_TIMEOUT => 0,  
    CURLOPT_FOLLOWLOCATION => true,
```



82 Doble click en "auth-token" field.



83 Click "Execute"



84 Vemos que el número de créditos del API de verificación es de: ""84209""



The screenshot displays a REST client interface. On the left, there are several empty, light-colored rectangular boxes. The main area shows the following details:

- Request URL:** `https://dashboard.verificaremails.com/myapi/email/credits?auth-token=06b0b32c-f0b5795725843ae6939c3ba9`
- Server response:**
 - Code:** 200
 - Details:**
 - Response body:** `{ "credits": "84209" }`. The value "84209" is circled in orange.
 - Response headers:**
 - `content-length: 19`
 - `content-type: application/json`
- Request samples:** Buttons for PHP, Python, Ruby, and C#.

85 Si vamos a la pestaña de Zapier, veremos que podemos crear una integración directamente desde el dashboard. Selecciona "Verificaremails Zapier"

86 Click "APIs"


The screenshot shows the Zapier dashboard interface. On the left is a sidebar with navigation items: 'Verificar emails' (highlighted in blue), 'Dashboard', 'APIs' (highlighted with an orange circle), 'WidgetJS', 'Zapier', 'Validación', and 'Comprar'. The main content area features a header with the text 'Zapier es una plataforma que permite automatizar tareas entre más de 6.000 aplicaciones y otra plataforma. Si nunca has utilizado Zapier te recomendamos que vea el video "Com...". Below this is a section titled 'Zapier connects Verificaremails to all th...' with two bullet points: 'Automate repetitive tasks without writing code.' and 'Connect 7,000+ apps you already use.' A 'Your workflows' section is partially visible below. At the bottom right, there is a button that says 'Sign up or log in to Zapie'.

87 Para ver las estadísticas de uso, volvemos a APIs y vemos los datos para "test Widget"

The screenshot displays the API usage statistics page. At the top, there are two rows of data with colored indicators (green, orange, grey, red) and toggle switches. Below the data is a pagination control with 'Anterior', '1' (selected), and 'Siguiete' buttons. The main area shows a chart with a dashed grid and a partially visible orange area. A dropdown menu is open for 'test Widget', showing options 'test Widget' (selected) and 'test_api_emails'. A 'Ultimo año' dropdown is also visible to the right.

88 Click "test_api_emails"


Anterior **1** Siguiente



89 Click "Último año"

10	23	2	0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
2	0	0	0	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Anterior **1** Siguiente



90 Click "Hoy"

The screenshot shows a dashboard interface. At the top, there are four colored boxes with numbers: 2 (green), 0 (orange), 0 (grey), and 0 (red). To the right are a toggle switch and two icons (eye and gear). Below this is a navigation bar with 'Anterior', a blue box with '1', and 'Siguiete'. The main area contains a chart with a green bell-shaped curve. To the right of the chart is a dropdown menu for 'test_api_emails' with a sub-menu for 'Ultimo año' containing 'Hoy', 'Últma semana', 'Último mes', and 'Último año' (checked). The 'Hoy' option is circled in orange.

91 Click this checkbox.

The screenshot shows a dashboard interface. At the top right are three buttons: 'Exportar' (with a download icon), 'Documentación', and '+ Crear nueva API'. Below is a table with columns: VÁLIDO, INVÁLIDO, DESCONOCIDO, ERROR, ESTADO, and DETALLES. The table has two rows. The first row has values: 10 (green), 23 (orange), 2 (grey), 0 (red), a blue toggle switch, and two icons (eye and gear). The second row has values: 2 (green), 0 (orange), 0 (grey), 0 (red), a grey toggle switch circled in orange, and two icons (eye and gear). Below the table is a navigation bar with 'Anterior', a blue box with '1', and 'Siguiete'. At the bottom right are two dropdown menus: 'test_api_emails' and 'Hoy'.

VÁLIDO	INVÁLIDO	DESCONOCIDO	ERROR	ESTADO	DETALLES
10	23	2	0	<input checked="" type="checkbox"/>	
2	0	0	0	<input type="checkbox"/>	

92 Para verificar ficheros, vamos a "Dashboard"

NOMBRE ^	PETICIONES	VÁLIDO	INVÁLIDO
test Widget	35	10	23
test_api_emails	2	2	0

10 ▼ Mostrando del 1 al 2 de 2

93 Click en la caja naranja.

naicon004@naiconviajes.es	Completado	Ok	09:40:03
antxon.pous@gmail.com	Completado	Ok	22-05-2010:31:19

Arrastra tu fichero o haz clic para subirlo
Formatos: CSV, XLS, XLSX, TXT

FILAS	FECHA	ESTADO	VER
CHEROS		Ver más	Exportar ▼

exportacion_alicante.t

94 Click this icon.

halcon084@halcon-viajes.es	Completado	Ok	06-06-2024 09:40:03	
antxon.pous@gmail.com	Completado	Ok	22-05-2024 10:31:19	

Arrastra tu fichero o haz clic para subirlo
Formatos: CSV, XLS, XLSX, TXT

Ver más Exportar Descargar

95 Al seleccionat ayuda vemos la estructura que debe tener el fichero.

io de verificación de ficheros permite realizar validaciones de forma
Puedes consultar ficheros en formato Excel, TXT o CSV. Es importante
formación este agrupada en columnas y que todo el fichero siga la
estructura

fichero Excel:



A	B	C	D	E
ono	Email	Nombre	Apellido	ID
34677934019	antonio@gmail.com	Antonio	Perez	1234567
34934511100	i.saba@gmail.com	Isabel	Saba	6634567

antxon.pous@verificaremails.com	Completado	No concluyente	19-06-2024 08:44:57	
info@sisostudio.com	Completado	Ok	11-06-2024 12:45:22	
antxon.pous@gmail.com	Completado	Ok	11-06-2024 10:03:05	
halcon084@halcon-viajes.es	Completado	Ok	06-06-2024 09:40:03	
	Completado	Ok	22-05-2024 10:31:19	

96

Para todos los ficheros publicados, vemos las estadísticas de verificación.


Arrastra tu fichero o haz clic para subirlo
Formatos: CSV, XLS, XLSX, TXT

FILAS	FECHA	ESTADO	VER
7806	22-05-2024 10:59:52	Completado	
3	22-05-2024 10:34:32	Completado	
5 7806	22-05-2024 10:26:43	Completado	
3	08-03-2024 11:24:57	Archivado	

Ver más Exportar

exportacion_alicante.txt

Descargar 



Ok 6349
Inválido 1334
No concluyente 123

Muestra el gráfico con los resultados de verificación del fichero.

97

Click en el icono de estadísticas

FILAS	FECHA	ESTADO	VER
7806	22-05-2024 10:59:52	Completado	
3	22-05-2024 10:34:32	Completado	
5 7806	22-05-2024 10:26:43	Completado	
3	08-03-2024 11:24:57	Archivado	
970	01-02-2024 09:32:11	Archivado	

Muestra el gráfico con los resultados de verificación del fichero.

Muestra el gráfico con los resultados de verificación del fichero.



Ok 2
Inválido 1

án disponibles durante 30 días desde su fecha de subida.

98

FILAS	FECHA	ESTADO	VER
7806	22-05-2024 10:59:52	Completado	
3	22-05-2024 10:34:32	Completado	
7806	22-05-2024 10:26:43	Completado	
3	08-03-2024 11:24:57	Archivado	
970	01-02-2024 09:32:11	Archivado	

disponibles durante 30 días desde su fecha de subida.

Descargar i

Ok	6348
Inválido	1337
No concluyente	121

test Widget

99

Para desplegar la funcionalidad de verificar emails en los formularios sin necesidad de programar, utilizar el "WidgetJS"

Verificar emails

- Dashboard
- APIs
- WidgetJS**
- Zapier
- Validación
- Comprar
- Documentación

🔍


Arrastra tu fichero

Formato


ÚLTIMOS FICHEROS

NOMBRE	FILAS	FECHA	ES
		22-05-2024	


100 Click en la reuda para desplegar las opciones.




101 Click "Seleccionar servicios" para indicar los campos que queremos verificar.



102 Seleccionamos los tipos de verificación: email, teléfonos, nombres y direcciones postales.



103 Identificamos los campos a verificar con los datos del DOM y los estilos de los campos.



104 Definimos los mensajes de error

The screenshot shows a configuration interface with a sidebar on the left containing icons for APIs, Widgets, Zapier, Validación, Compra, Documentos, and Contacto. The main content area has a vertical list of steps: 'Seleccionar servicios' (checked), 'Configurar servicios' (checked, sub-item 'Verificar emails'), 'Configuración de errores' (highlighted with a blue square and number 4), 'Dominios autorizados' (highlighted with an orange circle and number 5), and 'Completado' (number 6). To the right, there are two toggle switches, both turned on. The first is labeled 'Verificar emails: test Widget *' and has a dropdown menu below it with the text 'El email es inválido'. The second is labeled 'Gestionar envío del formulario *' and has an information icon. Below it, there is a section 'Estilo del campo erróneo *' with an information icon and a dropdown menu showing 'Clase'.

105 Seleccionamos "Completado"

This screenshot is similar to the previous one but shows the configuration step 'Completado' (number 6) highlighted with an orange circle. The 'Dominios autorizados' step (number 5) is now highlighted with a blue square. The right-hand side of the interface is mostly empty, with a single button at the top that says '+ Dominio autorizado'. At the bottom left, there is a green button with a coin icon and the text '84209 créditos' and a link '¿Comprar más?'.

106

El widget genera un código que tenemos que pegar en la página de nuestro formulario para verificar los campos.

Verificar emails

WIDGETS

EDITAR WIDGET

- ✓ **Introducción**
- ✓ **Seleccionar servicios**
- ✓ **Configurar servicios**
Verificar emails
- ✓ **Configuración de errores**
- ✓ **Dominios autorizados**

Copia este fragmento de código dentro de la página donde se muestre el formulario.

```
<script src="https://dashboard.verificaremails.com/widgetjs/widgetjs.js"></script>  
<script>widgetJS.init('430d70ded4c57bba424df099f607c7b9');</script>
```

Si tienes problemas, prueba con la [integración de máxima compatibilidad](#).